

Upstream First

5 Years of Active Kernel Contribution

Magnus Damm

Renesas Electronics Corp.

September 24th 2012

Outline

Overview and History

I/O Device Drivers

- Multimedia

- Storage and DMA

- Serial and Timers

Frameworks and Subsystems

- Multimedia

- Memory Management and Interrupts

- Kernel Boot and Driver Model

- Power Management

Outline

Overview and History

I/O Device Drivers

Multimedia

Storage and DMA

Serial and Timers

Frameworks and Subsystems

Multimedia

Memory Management and Interrupts

Kernel Boot and Driver Model

Power Management

Overview and History

Upstream contributions since 2007:

- ▶ Upstream Drivers: Around 25 new drivers added to upstream
- ▶ Frameworks: Improvements across multiple subsystems
- ▶ Boards: 10+ ARM-based boards, DT enablement work
- ▶ SoCs: 7+ ARM-based Mobile and Automotive SoCs

Outline

Overview and History

I/O Device Drivers

Multimedia

Storage and DMA

Serial and Timers

Frameworks and Subsystems

Multimedia

Memory Management and Interrupts

Kernel Boot and Driver Model

Power Management

Outline

Overview and History

I/O Device Drivers

Multimedia

Storage and DMA

Serial and Timers

Frameworks and Subsystems

Multimedia

Memory Management and Interrupts

Kernel Boot and Driver Model

Power Management

Video Out

Video Out:

- ▶ Upstream Drivers: LCDC, HDMI, MIPI-DSI, VOU
- ▶ Frameworks: FBDEV, V4L2, Media Controller, DRM*
- ▶ Collaboration Partners: V4L2 and Media Controller Maintainers
- ▶ Current State: Leading DRM development for Embedded

* DRM: Direct Rendering Manager

Video In

Video In:

- ▶ Upstream Drivers: CEU, MIPI-CSI, Camera sensors / encoders
- ▶ Frameworks: V4L2, SoC-Camera
- ▶ Collaboration Partners: V4L2 and SoC-Camera Maintainers
- ▶ Current State: Leading DT binding development for SoC-Camera

Video Encode/Decode, Audio

Video Encode/Decode:

- ▶ Upstream Drivers: UIO Generic Driver
- ▶ Frameworks: UIO, V4L2
- ▶ Collaboration Partners: UIO Driver Author and V4L2 Maintainers
- ▶ Current State: UIO User space stack and V4L2 MEM2MEM

Audio:

- ▶ Upstream Drivers: SIU, FSI, Codecs
- ▶ Frameworks: ALSA, UIO
- ▶ Collaboration Partners: ALSA and UIO Driver Authors
- ▶ Current State: Drivers support PIO and DMA via DMA Engine

Outline

Overview and History

I/O Device Drivers

Multimedia

Storage and DMA

Serial and Timers

Frameworks and Subsystems

Multimedia

Memory Management and Interrupts

Kernel Boot and Driver Model

Power Management

Storage and DMA

Storage:

- ▶ Upstream Drivers: MMCIF, FLCTL
- ▶ Frameworks: MMC, MTD
- ▶ Collaboration Partners: MMC and MTD Driver Authors
- ▶ Current State: Drivers support PIO and DMA via DMA Engine

DMA:

- ▶ Upstream Drivers: DMAC
- ▶ Frameworks: DMA Engine
- ▶ Collaboration Partners: DMA Engine Driver Authors
- ▶ Current State: Participating in DT binding development

Outline

Overview and History

I/O Device Drivers

Multimedia

Storage and DMA

Serial and Timers

Frameworks and Subsystems

Multimedia

Memory Management and Interrupts

Kernel Boot and Driver Model

Power Management

Serial and Timers

Serial:

- ▶ Upstream Drivers: IIC, MSIOF, SCIF, USBHS, SDHI
- ▶ Frameworks: I2C, SPI, Serial/TTY, USB Host/Gadget, MMC
- ▶ Collaboration Partners: Driver Authors
- ▶ Current State: Drivers support PIO and DMA via DMA Engine

Timers:

- ▶ Upstream Drivers: CMT, TMU, MTU2, STI, TPU
- ▶ Frameworks: Clocksource, Clockevent, PWM, LED
- ▶ Collaboration Partners: Driver Authors
- ▶ Current State: Tickless timer and PWM LED output supported

Outline

Overview and History

I/O Device Drivers

Multimedia

Storage and DMA

Serial and Timers

Frameworks and Subsystems

Multimedia

Memory Management and Interrupts

Kernel Boot and Driver Model

Power Management

Outline

Overview and History

I/O Device Drivers

Multimedia

Storage and DMA

Serial and Timers

Frameworks and Subsystems

Multimedia

Memory Management and Interrupts

Kernel Boot and Driver Model

Power Management

Multimedia

Framework and Subsystem changes:

- ▶ Video Out: Deferred I/O for FBDEV, DRM for Embedded [1]
- ▶ Video In: V4L2 USERPTR Extension [2], Additional FOURCCs [3]
- ▶ Video Encode/Decode, Audio: Reusable UIO Component [4]

[1] LPC2012 Slides: [laurent-pinchart-linux-display-and-video.pdf](#)

[2] V4L2 Zero copy support: <http://patchwork.linuxtv.org/patch/991>

[3] NV16/61 formats: <http://www.spinics.net/lists/vfl/msg40028.html>

[4] kernel.org git `c767db0ab4bc85f06119f2b42369e31b29991f16`

Outline

Overview and History

I/O Device Drivers

Multimedia

Storage and DMA

Serial and Timers

Frameworks and Subsystems

Multimedia

Memory Management and Interrupts

Kernel Boot and Driver Model

Power Management

Memory Management and Interrupts

Framework and Subsystem changes:

- ▶ Memory Management: NUMA for On-chip SRAM
 - ▶ Developed during 2007 to support SoCs with On-chip SRAM
 - ▶ Makes use of existing NUMA kernel infrastructure
 - ▶ Slides available from ELC Europe 2007 [1]
- ▶ Interrupts: IRQ Domain optimizations
 - ▶ Developed during 2012 as part of DT enablement
 - ▶ Implements IRQ Domain optimizations required for INTC [2]

[1] http://elinux.org/images/1/13/ELCE2007-Asymmetric_NUMA.pdf

[2] [kernel.org git 98aa468e045a0091a7c34d9f5205a629634fabf4](https://kernel.org/git/98aa468e045a0091a7c34d9f5205a629634fabf4)

Outline

Overview and History

I/O Device Drivers

Multimedia

Storage and DMA

Serial and Timers

Frameworks and Subsystems

Multimedia

Memory Management and Interrupts

Kernel Boot and Driver Model

Power Management

Kernel Boot and Driver Model

Framework and Subsystem changes:

- ▶ Kernel Boot: DT-support for ARM in Kexec and Kexec-tools [1]
- ▶ Kernel Boot: Boot Upstream Linux from Mask ROM [2]
- ▶ Driver Model: Early Platform Drivers (Timers / Console) [3]

[1] <http://permalink.gmane.org/gmane.linux.kernel.kexec/6537>

[2] [kernel.org git f45b1149911cc4c3ab50e56c8844ad4ec04a4575](http://kernel.org/git/f45b1149911cc4c3ab50e56c8844ad4ec04a4575)

[3] [kernel.org git 13977091a988fb0d21821c2221ddc920eba36b79](http://kernel.org/git/13977091a988fb0d21821c2221ddc920eba36b79)

Outline

Overview and History

I/O Device Drivers

Multimedia

Storage and DMA

Serial and Timers

Frameworks and Subsystems

Multimedia

Memory Management and Interrupts

Kernel Boot and Driver Model

Power Management

Power Management

Framework and Subsystem changes:

- ▶ Device Drivers: Runtime PM Framework for Platform Devices [1]
 - ▶ Linux kernel PM code extended with Platform Device support
 - ▶ Device Drivers updated to support Runtime PM API
- ▶ Power Domains: PM Domain Framework Support [2]
 - ▶ Collaboration with Linux kernel PM maintainer
 - ▶ Runtime PM extended to support Power Domain hardware
- ▶ CPUIdle: CPUIdle for CPU and I/O Device Power Domains [3]
 - ▶ CPUIdle extended to coexist with PM Domains

[1] <http://lwn.net/Articles/345007/>

[2] http://elinux.org/images/e/e6/Elce11_wysocki.pdf

[3] <https://lkml.org/lkml/2012/5/12/22>